

from £5/acre  
(£12.50/ha)



# GRAZERS



EFFECTIVE AGAINST DAMAGE FROM

RABBITS

PIGEONS

DEER

GEESE

- ✓ Lasts up to 6 weeks
- ✓ Safe to use on edible crops
- ✓ Repairs and stimulates crop growth
- ✓ Leaf absorption (some systemic action)

✓ Available in two sizes:

- 20ha (50 acre)
- 4ha (10 acre)

“Congratulations on inventing such an effective product. Easy to use, safe & quick”

P.T. West Sussex



[www.grazers.co.uk](http://www.grazers.co.uk)

# Millions of pounds are lost each year by farmers because of damage to crops. Grazers is a safe and effective spray against damage. It enables farmers and growers to redeem lost profits easily and safely.

## ARABLE (Cereals, Oil Seed Rape, Root Crops, Game Cover, Grass)

Grazers can be applied safely and effectively to any crop at risk from damage.

### COST EFFECTIVE TREATMENTS

**Rabbits and deer:** a headland spray (min. 24m boom) is generally sufficient unless severe pest numbers.

**Pigeons:** treat weaker areas or sections beneath power lines or woodland roosts

**Note:** Tank mix compatibility trials have been carried out by Eurofins on spring crops without issue.

Details can be found on our farm page at [www.grazers.co.uk](http://www.grazers.co.uk)

## HORTICULTURE (Salad/Veg, Ornamental Crops, Grass)

Grazers can be applied safely and effectively to any crop at risk from damage.

Modules, liners & transplants are extremely vulnerable.

Spray at least twice at double strength before planting/putting out, allow the leaf to dry between applications. Spray again 2-3 days later in the field.

**Note:** Tank mix compatibility trials have been carried out by Eurofins on spring crops without issue.

Details can be found on our farm page at [www.grazers.co.uk](http://www.grazers.co.uk)

## APPLICATION TIMINGS

Apply to *foliage* at any stage of growth during the growing season (very effective on first true leaf), as soon as the damage has occurred, or to areas potentially at risk.

**GRAZERS** is rainfast in one hour and can remain effective for up to six weeks but in certain situations, where crops are grazed, mowed, irrigated or exposed to prolonged heavy rainfall after spraying, repeat applications may be required sooner.

**Grazers is very safe to use and beneficial to the plant.**

## APPLICATION RATES

**Grazers contains a specific calcium solution and other trace elements**

**For tank mix options check farm page at [www.grazers.co.uk](http://www.grazers.co.uk) or contact Grazers Ltd directly (jar test alternative mixes).**

**General foliar application rate:** 250 - 500ml in 200 litres water per ha

**Knapsack rate:** 10 - 20ml in 10 litres water

**Note: In areas of high infestation a double rate may be safely applied.**

**Bird damage to fruit before harvest:** 1000 - 2000ml in 1000 litres water per ha

**For excellent coverage add non ionic surfactant.**

For more information contact Grazers Ltd:  
Gill Bank, Ousby, Penrith, Cumbria, CA10 1QA United Kingdom  
[info@grazers.co.uk](mailto:info@grazers.co.uk) [www.grazers.co.uk](http://www.grazers.co.uk)  
tel: 0044 (0)1768 800555

**GRAZERS**   
AVAILABLE FROM MAJOR  
AG.CHEM SUPPLIERS